

**Serial Number**  
**WAN IP Address**  
**Connected At** Mon Mar 23rd 2015 17:20:02  
**Inform Events** 0 BOOTSTRAP, !INITIAL\_CONTACT  
**Hardware Version** B1  
**Software Version** v0.0.0.8-a4  
**Session ID** C389F40D69C4015CA09DBA4ADF0DE3F7.main

Time	Type	Event Detail
+0.026s	SOAP XML	4099 bytes received from device
<pre> &lt;?xml version="1.0" encoding="UTF-8"?&gt; &lt;cwmp:Inform xmlns:cwmp="urn:dslforum-org:cwmp-1-2" xmlns:soap_enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:soap_env="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org /2001/XMLSchema-instance"&gt;   &lt;DeviceId&gt;     &lt;Manufacturer&gt;SmartRG&lt;/Manufacturer&gt;     &lt;OUI&gt;00904C&lt;/OUI&gt;     &lt;ProductClass&gt;SR400ac&lt;/ProductClass&gt;     &lt;SerialNumber&gt;00904C0FF493&lt;/SerialNumber&gt;   &lt;/DeviceId&gt;   &lt;Event soap_enc:arrayType="cwmp:EventStruct[1]"&gt;     &lt;EventStruct&gt;       &lt;EventCode&gt;0 BOOTSTRAP&lt;/EventCode&gt;       &lt;CommandKey/&gt;     &lt;/EventStruct&gt;   &lt;/Event&gt;   &lt;MaxEnvelopes&gt;1&lt;/MaxEnvelopes&gt;   &lt;CurrentTime&gt;2015-03-23T17:20:01-07:00&lt;/CurrentTime&gt;   &lt;RetryCount&gt;0&lt;/RetryCount&gt;   &lt;ParameterList soap_enc:arrayType="cwmp:ParameterValueStruct[23]"&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.Description&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;Gigabit Residential Gateway&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.DeviceCategory&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;Router&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.HardwareVersion&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;B1&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.Manufacturer&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;SmartRG&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.ManufacturerOUI&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;00904C&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.ModelName&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;SR400ac&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.ModelNumber&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;SR400ac&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.NetworkProperties.MaxTCPWindowSize&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;974496&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.NetworkProperties.TCPImplementation&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;Vegas&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.ProductClass&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;SR400ac&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.ProvisioningCode&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"/&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.SerialNumber&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;00904C0FF493&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;   </pre>		

Time	Type	Event Detail
		<pre> &lt;Name&gt;Device.DeviceInfo.SoftwareVersion&lt;/Name&gt; &lt;Value xsi:type="xsd:string"&gt;v0.0.0.8-a4&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;ParameterValueStruct&gt;   &lt;Name&gt;Device.GatewayInfo.ManufacturerOUI&lt;/Name&gt;   &lt;Value xsi:type="xsd:string"&gt;00904C&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;ParameterValueStruct&gt;   &lt;Name&gt;Device.GatewayInfo.ProductClass&lt;/Name&gt;   &lt;Value xsi:type="xsd:string"&gt;SR400ac&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;ParameterValueStruct&gt;   &lt;Name&gt;Device.GatewayInfo.SerialNumber&lt;/Name&gt;   &lt;Value xsi:type="xsd:string"&gt;00904C0FF493&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;ParameterValueStruct&gt;   &lt;Name&gt;Device.InterfaceStackNumberOfEntries&lt;/Name&gt;   &lt;Value xsi:type="xsd:string"&gt;20&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;ParameterValueStruct&gt;   &lt;Name&gt;Device.ManagementServer.ConnectionRequestURL&lt;/Name&gt;   &lt;Value xsi:type="xsd:string"&gt;http://192.168.25.230:7547&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;ParameterValueStruct&gt;   &lt;Name&gt;Device.ManagementServer.ParameterKey&lt;/Name&gt;   &lt;Value xsi:type="xsd:string"&gt;E&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;ParameterValueStruct&gt;   &lt;Name&gt;Device.RootDataModelVersion&lt;/Name&gt;   &lt;Value xsi:type="xsd:string"&gt;2.4&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;ParameterValueStruct&gt;   &lt;Name&gt;Device.Time.CurrentLocalTime&lt;/Name&gt;   &lt;Value xsi:type="xsd:string"&gt;2015-03-23T17:20:01-0700&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;ParameterValueStruct&gt;   &lt;Name&gt;Device.Time.LocalTimeZone&lt;/Name&gt;   &lt;Value xsi:type="xsd:string"&gt;PST8PDT,M3.2.0,M11.1.0&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;ParameterValueStruct&gt;   &lt;Name&gt;Device.Time.Status&lt;/Name&gt;   &lt;Value xsi:type="xsd:string"&gt;sync&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;/ParameterList&gt; &lt;/cswmp:Inform&gt; </pre>
+0.068s	Fire Event	INITIAL_CONTACT
+0.072s	SOAP XML	453 bytes sent to device
		<pre> &lt;soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:soap-enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:cswmp="urn:dslforum-org:cswmp-1-0" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"&gt;   &lt;soap:Header&gt;     &lt;cswmp:ID soap:mustUnderstand="1"&gt;4&lt;/cswmp:ID&gt;   &lt;/soap:Header&gt;   &lt;soap:Body&gt;     &lt;cswmp:InformResponse&gt;       &lt;MaxEnvelopes&gt;1&lt;/MaxEnvelopes&gt;     &lt;/cswmp:InformResponse&gt;   &lt;/soap:Body&gt; &lt;/soap:Envelope&gt; </pre>
+0.173s	SOAP XML	54 bytes received from device
		<pre> &lt;?xml version="1.0" encoding="UTF-8" standalone="no"?&gt; </pre>
+0.226s	Script Begin	Initial Configuration
+0.298s	Script Log Message	[INFO] pushAppCodes[ManagementServer], pullAppCodes[]
+0.335s	Script Log Message	[INFO] pushing :: ManagementServer
+0.378s	Call to Device	GetParameterValuesRequest
+0.383s	SOAP XML	494 bytes sent to device
		<pre> &lt;soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:soap-enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:cswmp="urn:dslforum-org:cswmp-1-0" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"&gt;   &lt;soap:Body&gt;     &lt;cswmp:GetParameterValues&gt;       &lt;ParameterNames soap-enc:arrayType="xsd:string[1]"&gt;         &lt;string xsi:type="xsd:string"&gt;Device.ManagementServer.URL&lt;/string&gt;       &lt;/ParameterNames&gt;     &lt;/cswmp:GetParameterValues&gt;   &lt;/soap:Body&gt; </pre>

Time	Type	Event Detail
		</soap:Envelope>
+0.519s	SOAP XML	612 bytes received from device
		<pre>&lt;?xml version="1.0" encoding="UTF-8"?&gt; &lt;cwmp:GetParameterValuesResponse xmlns:cwmp="urn:dsiforum-org:cwmp-1-2" xmlns:soap_enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:soap_env="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org /2001/XMLSchema-instance"&gt;   &lt;ParameterList soap_enc:arrayType="cwmp:ParameterValueStruct[1]"&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.ManagementServer.URL&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;http://test52.acs.smartrg.com/v1&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;   &lt;/ParameterList&gt; &lt;/cwmp:GetParameterValuesResponse&gt;</pre>
+0.523s	Response from Device	GetParameterValuesResponse
+0.530s	Call to Device	SetParameterValuesRequest
+0.534s	SOAP XML	1298 bytes sent to device
		<pre>&lt;soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:soap_enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:cwmp="urn:dsiforum-org:cwmp-1-0" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"&gt;   &lt;soap:Header&gt;     &lt;cwmp:ID soap:mustUnderstand="1"&gt;&lt;/cwmp:ID&gt;   &lt;/soap:Header&gt;   &lt;soap:Body&gt;     &lt;cwmp:SetParameterValues&gt;       &lt;ParameterList soap_enc:arrayType="cwmp:ParameterValueStruct[4]"&gt;         &lt;ParameterValueStruct&gt;           &lt;Name xsi:type="xsd:string"&gt;Device.ManagementServer.ConnectionRequestPassword&lt;/Name&gt;           &lt;Value xsi:type="xsd:string"&gt;OneAcsToRuleThemAll&lt;/Value&gt;         &lt;/ParameterValueStruct&gt;         &lt;ParameterValueStruct&gt;           &lt;Name xsi:type="xsd:string"&gt;Device.ManagementServer.ConnectionRequestUsername&lt;/Name&gt;           &lt;Value xsi:type="xsd:string"&gt;admin00904C0FF493&lt;/Value&gt;         &lt;/ParameterValueStruct&gt;         &lt;ParameterValueStruct&gt;           &lt;Name xsi:type="xsd:string"&gt;Device.ManagementServer.PeriodicInformEnable&lt;/Name&gt;           &lt;Value xsi:type="xsd:boolean"&gt;true&lt;/Value&gt;         &lt;/ParameterValueStruct&gt;         &lt;ParameterValueStruct&gt;           &lt;Name xsi:type="xsd:string"&gt;Device.ManagementServer.PeriodicInformInterval&lt;/Name&gt;           &lt;Value xsi:type="xsd:unsignedInt"&gt;90&lt;/Value&gt;         &lt;/ParameterValueStruct&gt;       &lt;/ParameterList&gt;       &lt;ParameterKey xsi:type="xsd:string"&gt;1AAABTEkmgwES test52 E&lt;/ParameterKey&gt;     &lt;/cwmp:SetParameterValues&gt;   &lt;/soap:Body&gt; &lt;/soap:Envelope&gt;</pre>
+0.852s	SOAP XML	383 bytes received from device
		<pre>&lt;?xml version="1.0" encoding="UTF-8"?&gt; &lt;cwmp:SetParameterValuesResponse xmlns:cwmp="urn:dsiforum-org:cwmp-1-2" xmlns:soap_enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:soap_env="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org /2001/XMLSchema-instance"&gt;   &lt;Status&gt;1&lt;/Status&gt; &lt;/cwmp:SetParameterValuesResponse&gt;</pre>
+0.857s	Response from Device	SetParameterValuesResponse
+0.883s	Script Log Message	[INFO] Finished pushing :: ManagementServer
+0.885s	Script Completed	
+0.892s	Fire Event	INFORM