

**Serial Number**  
**WAN IP Address**  
**Connected At** Fri Jul 17th 2015 12:28:29  
**Inform Events** 2 PERIODIC, !WAN\_IP\_CHANGED  
**Hardware Version** B2  
**Software Version** 0.0.9.4  
**Session ID** CDD3C32124FFC28E976DD33E1C3A7AE8.main

Time	Type	Event Detail
+0.020s	SOAP XML	3376 bytes received from device
<pre> &lt;?xml version="1.0" encoding="UTF-8"?&gt; &lt;cwmp:Inform xmlns:cwmp="urn:dsiforum-org:cwmp-1-2" xmlns:soap_enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:soap_env="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org /2001/XMLSchema-instance"&gt;   &lt;DeviceId&gt;     &lt;Manufacturer&gt;SmartRG&lt;/Manufacturer&gt;     &lt;OUI&gt;00236A&lt;/OUI&gt;     &lt;ProductClass&gt;SR400ac&lt;/ProductClass&gt;     &lt;SerialNumber&gt;00236AA37BC5&lt;/SerialNumber&gt;   &lt;/DeviceId&gt;   &lt;Event soap_enc:arrayType="cwmp:EventStruct[1]"&gt;     &lt;EventStruct&gt;       &lt;EventCode&gt;2 PERIODIC&lt;/EventCode&gt;       &lt;CommandKey/&gt;     &lt;/EventStruct&gt;   &lt;/Event&gt;   &lt;MaxEnvelopes&gt;1&lt;/MaxEnvelopes&gt;   &lt;CurrentTime&gt;2015-07-17T12:28:29-07:00&lt;/CurrentTime&gt;   &lt;RetryCount&gt;0&lt;/RetryCount&gt;   &lt;ParameterList soap_enc:arrayType="cwmp:ParameterValueStruct[18]"&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.Description&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;Gigabit Residential Gateway&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.DeviceCategory&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;Router&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.HardwareVersion&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;B2&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.Manufacturer&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;SmartRG&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.ManufacturerOUI&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;00236A&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.ModelName&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;SR400ac&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.ModelNumber&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;SR400ac&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.ProductClass&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;SR400ac&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.ProvisioningCode&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"/&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;       &lt;Name&gt;Device.DeviceInfo.SerialNumber&lt;/Name&gt;       &lt;Value xsi:type="xsd:string"&gt;00236AA37BC5&lt;/Value&gt;     &lt;/ParameterValueStruct&gt;     &lt;ParameterValueStruct&gt;   </pre>		

Time	Type	Event Detail
		<pre> &lt;Name&gt;Device.DeviceInfo.SoftwareVersion&lt;/Name&gt; &lt;Value xsi:type="xsd:string"&gt;0.0.9.4&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;ParameterValueStruct&gt; &lt;Name&gt;Device.GatewayInfo.ManufacturerOUI&lt;/Name&gt; &lt;Value xsi:type="xsd:string"&gt;00236A&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;ParameterValueStruct&gt; &lt;Name&gt;Device.GatewayInfo.ProductClass&lt;/Name&gt; &lt;Value xsi:type="xsd:string"&gt;SR400ac&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;ParameterValueStruct&gt; &lt;Name&gt;Device.GatewayInfo.SerialNumber&lt;/Name&gt; &lt;Value xsi:type="xsd:string"&gt;00236AA37BC5&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;ParameterValueStruct&gt; &lt;Name&gt;Device.ManagementServer.ConnectionRequestURL&lt;/Name&gt; &lt;Value xsi:type="xsd:string"&gt;http://192.168.25.105:7547/&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;ParameterValueStruct&gt; &lt;Name&gt;Device.RootDataModelVersion&lt;/Name&gt; &lt;Value xsi:type="xsd:string"&gt;2.4&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;ParameterValueStruct&gt; &lt;Name&gt;Device.Time.CurrentLocalTime&lt;/Name&gt; &lt;Value xsi:type="xsd:string"&gt;2015-07-17T12:28:29-0700&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;ParameterValueStruct&gt; &lt;Name&gt;Device.Time.LocalTimeZone&lt;/Name&gt; &lt;Value xsi:type="xsd:string"&gt;PST8PDT,M3.2.0,M11.1.0&lt;/Value&gt; &lt;/ParameterValueStruct&gt; &lt;/ParameterList&gt; &lt;/cwmp:Inform&gt; </pre>
+0.063s	Fire Event	WAN_IP_CHANGED
+0.066s	SOAP XML	453 bytes sent to device
		<pre> &lt;soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:soap-enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:cwmp="urn:dslforum-org:cwmp-1-0" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"&gt; &lt;soap:Header&gt; &lt;cwmp:ID soap:mustUnderstand="1"&gt;8&lt;/cwmp:ID&gt; &lt;/soap:Header&gt; &lt;soap:Body&gt; &lt;cwmp:InformResponse&gt; &lt;MaxEnvelopes&gt;1&lt;/MaxEnvelopes&gt; &lt;/cwmp:InformResponse&gt; &lt;/soap:Body&gt; &lt;/soap:Envelope&gt; </pre>
+0.152s	SOAP XML	54 bytes received from device
		<pre> &lt;?xml version="1.0" encoding="UTF-8" standalone="no"?&gt; </pre>
+0.202s	Script Begin	Update firmware
+0.223s	Call to Device	DownloadRequest
+0.226s	SOAP XML	925 bytes sent to device

Time	Type	Event Detail
		<pre>&lt;soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:soap-enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:cwmp="urn:dsforum-org:cwmp-1-0" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"&gt;   &lt;soap:Body&gt;     &lt;cwmp:Download&gt;       &lt;CommandKey xsi:type="xsd:string"&gt;0DNLOADAAAAAAAAAic 1&lt;/CommandKey&gt;       &lt;FileType xsi:type="xsd:string"&gt;1 Firmware Upgrade Image&lt;/FileType&gt;       &lt;URL xsi:type="xsd:string"&gt;http://192.168.1.20/sr400&lt;/URL&gt;       &lt;Username xsi:type="xsd:string"/&gt;      &lt;Password xsi:type="xsd:string"/&gt;      &lt;FileSize xsi:type="xsd:unsignedInt"&gt;0&lt;/FileSize&gt;       &lt;TargetFileName xsi:type="xsd:string"&gt;targetfilename&lt;/TargetFileName&gt;       &lt;DelaySeconds xsi:type="xsd:unsignedInt"&gt;3&lt;/DelaySeconds&gt;       &lt;SuccessURL xsi:type="xsd:string"&gt;http://here.com/success&lt;/SuccessURL&gt;       &lt;FailureURL xsi:type="xsd:string"&gt;http://here.com/failure&lt;/FailureURL&gt;     &lt;/cwmp:Download&gt;   &lt;/soap:Body&gt; &lt;/soap:Envelope&gt;</pre>
+0.321s	SOAP XML	455 bytes received from device
		<pre>&lt;?xml version="1.0" encoding="UTF-8"?&gt; &lt;cwmp:DownloadResponse xmlns:cwmp="urn:dsforum-org:cwmp-1-2" xmlns:soap_enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:soap_env="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org /2001/XMLSchema-instance"&gt;   &lt;Status&gt;1&lt;/Status&gt;   &lt;StartTime&gt;0001-01-01T00:00:00Z&lt;/StartTime&gt;   &lt;CompleteTime&gt;0001-01-01T00:00:00Z&lt;/CompleteTime&gt; &lt;/cwmp:DownloadResponse&gt;</pre>
+0.323s	Response from Device	DownloadResponse
+0.343s	Script Log Message	[INFO] status:false started:null completed:null
+0.344s	Script Completed	
+0.411s	Script Begin	WAN IP Change
+0.686s	Script Log Message	[INFO] pushAppCodes[], pullAppCodes[WANStatus]
+2.935s	Script Log Message	[ERROR] NODRIVER: Unable to pull WANStatus. there is no driver
+2.956s	Script Log Message	[ERROR] NODRIVER: Unable to pull DeviceInfo. there is no driver
+2.978s	Script Log Message	[ERROR] NODRIVER: Unable to pull AccessControlStatus. there is no driver
+2.999s	Script Log Message	[ERROR] NODRIVER: Unable to pull WIFI. there is no driver
+3.026s	Script Log Message	[ERROR] NODRIVER: Unable to pull WANDevices. there is no driver
+3.052s	Script Log Message	[ERROR] NODRIVER: Unable to pull Hosts. there is no driver
+3.072s	Script Log Message	[ERROR] NODRIVER: Unable to pull LAN2. there is no driver
+3.098s	Script Log Message	[ERROR] NODRIVER: Unable to pull InterfaceStackStatus. there is no driver
+3.120s	Script Log Message	[ERROR] NODRIVER: Unable to pull IpInterfaceStatus. there is no driver
+3.145s	Script Log Message	[ERROR] NODRIVER: Unable to pull BRCMSTB. there is no driver
+3.166s	Script Log Message	[ERROR] NODRIVER: Unable to pull DeviceStats. there is no driver
+3.193s	Script Log Message	[ERROR] NODRIVER: Unable to pull QoS. there is no driver
+3.215s	Script Log Message	[ERROR] NODRIVER: Unable to pull PF. there is no driver
+3.237s	Script Log Message	[ERROR] NODRIVER: Unable to pull FirmwareManagementStatus. there is no driver
+3.257s	Script Log Message	[ERROR] NODRIVER: Unable to pull UploadSpeedTestResults. there is no driver
+3.278s	Script Log Message	[ERROR] NODRIVER: Unable to pull TBStatus. there is no driver
+3.298s	Script Log Message	[ERROR] NODRIVER: Unable to pull WANInterfaces. there is no driver
+3.321s	Script Log Message	[ERROR] NODRIVER: Unable to pull DownloadSpeedTestResults. there is no driver
+3.341s	Script Log Message	[ERROR] NODRIVER: Unable to push ManagementServer. there is no driver
+3.363s	Script Log Message	[ERROR] NODRIVER: Unable to pull ManagementServerStatus. there is no driver
+3.364s	Script Completed	
+3.390s	Fire Event	INFORM
+3.482s	Script Begin	Synchronize Applications
+3.539s	Script Log Message	[INFO] pushAppCodes[], pullAppCodes[]
+3.566s	Script Log Message	[INFO] nothing to push/pull, exiting
+3.572s	Script Completed	