

Serial Number
WAN IP Address
Connected At Thu Mar 19th 2015 11:35:26
Inform Events 7 TRANSFER COMPLETE, M Download, 1 BOOT, !INITIAL_CONTACT
Hardware Version B1
Software Version v0.0.0.8-a4
Session ID 3DE1EE63ABF5210AC0498DC00D97B8FB.main

Time	Type	Event Detail
+0.023s	SOAP XML	3975 bytes received from device
<pre> <?xml version="1.0" encoding="UTF-8"?> <cwmp:Inform xmlns:cwmp="urn:dslforum-org:cwmp-1-2" xmlns:soap_enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:soap_env="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org /2001/XMLSchema-instance"> <DeviceId> <Manufacturer>SmartRG</Manufacturer> <OUI>00904C</OUI> <ProductClass>SR400ac</ProductClass> <SerialNumber>00904C0FF4B3</SerialNumber> </DeviceId> <Event soap_enc:arrayType="cwmp:EventStruct[3]"> <EventStruct> <EventCode>7 TRANSFER COMPLETE</EventCode> <CommandKey/> </EventStruct> <EventStruct> <EventCode>M Download</EventCode> <CommandKey>A</CommandKey> </EventStruct> <EventStruct> <EventCode>1 BOOT</EventCode> <CommandKey/> </EventStruct> </Event> <MaxEnvelopes>1</MaxEnvelopes> <CurrentTime>2015-03-19T11:35:25-07:00</CurrentTime> <RetryCount>0</RetryCount> <ParameterList soap_enc:arrayType="cwmp:ParameterValueStruct[19]"> <ParameterValueStruct> <Name>InternetGatewayDevice.DeviceInfo.HardwareVersion</Name> <Value xsi:type="xsd:string">B1</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.DeviceInfo.Manufacturer</Name> <Value xsi:type="xsd:string">SmartRG</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.DeviceInfo.ManufacturerOUI</Name> <Value xsi:type="xsd:string">00904C</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.DeviceInfo.ProductClass</Name> <Value xsi:type="xsd:string">SR400ac</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.DeviceInfo.ProvisioningCode</Name> <Value xsi:type="xsd:string"/> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.DeviceInfo.SerialNumber</Name> <Value xsi:type="xsd:string">00904C0FF4B3</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.DeviceInfo.SoftwareVersion</Name> <Value xsi:type="xsd:string">v0.0.0.8-a4</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.DeviceInfo.SpecVersion</Name> <Value xsi:type="xsd:string">1.0</Value> </ParameterValueStruct> </ParameterList> </Inform> </pre>		

Time	Type	Event Detail
		<pre> <Name>InternetGatewayDevice.GatewayInfo.ManufacturerOUI</Name> <Value xsi:type="xsd:string">00904C</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.GatewayInfo.ProductClass</Name> <Value xsi:type="xsd:string">SR400ac</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.GatewayInfo.SerialNumber</Name> <Value xsi:type="xsd:string">00904C0FF4B3</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.InterfaceStackNumberOfEntries</Name> <Value xsi:type="xsd:string">20</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.ManagementServer.ConnectionRequestURL</Name> <Value xsi:type="xsd:string">http://192.168.1.111:7547</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.ManagementServer.ParameterKey</Name> <Value xsi:type="xsd:string">c</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.RootDataModelVersion</Name> <Value xsi:type="xsd:string">2.4</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.Time.CurrentLocalTime</Name> <Value xsi:type="xsd:string">2015-03-19T11:35:25-0700</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.Time.LocalTimeZone</Name> <Value xsi:type="xsd:string">PST8PDT,M3.2.0,M11.1.0</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.Time.Status</Name> <Value xsi:type="xsd:string">sync</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.WANDevice.1.WANConnectionDevice.1.WANIPConnection.1.ExternalIPAddress</Name> <Value xsi:type="xsd:string"/> </ParameterValueStruct> </ParameterList> </cwwmp:Inform> </pre>
+0.057s	Fire Event	REBOOT
+0.108s	Fire Event	INITIAL_CONTACT
+0.111s	SOAP XML	453 bytes sent to device
		<pre> <soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:soap-enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:cwwmp="urn:dsiforum-org:cwwmp-1-0" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soap:Header> <cwwmp:ID soap:mustUnderstand="1">1</cwwmp:ID> </soap:Header> <soap:Body> <cwwmp:InformResponse> <MaxEnvelopes>1</MaxEnvelopes> </cwwmp:InformResponse> </soap:Body> </soap:Envelope> </pre>
+0.207s	SOAP XML	543 bytes received from device
		<pre> <?xml version="1.0" encoding="UTF-8"?> <cwwmp:TransferComplete xmlns:cwwmp="urn:dsiforum-org:cwwmp-1-2" xmlns:soap-enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:soap_env="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org /2001/XMLSchema-instance"> <CommandKey>A</CommandKey> <FaultStruct> <FaultCode>0</FaultCode> </pre>

Time	Type	Event Detail
		<pre> <FaultString/> </FaultStruct> <StartTime>2015-03-19T10:37:17-07:00</StartTime> <CompleteTime>2015-03-19T10:39:25-07:00</CompleteTime> </cwmp:TransferComplete> </pre>
+0.214s	SOAP XML	412 bytes sent to device
		<pre> <soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:soap-enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:cwmp="urn:dslforum-org:cwmp-1-0" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soap:Header> <cwmp:ID soap:mustUnderstand="1">2</cwmp:ID> </soap:Header> <soap:Body> <cwmp:TransferCompleteResponse/> </soap:Body> </soap:Envelope> </pre>
+0.315s	SOAP XML	54 bytes received from device
		<pre> <?xml version="1.0" encoding="UTF-8" standalone="no"?> </pre>
+0.371s	Script Begin	Initial Configuration
+0.430s	Script Log Message	[INFO] pushAppCodes[ManagementServer], pullAppCodes[]
+0.516s	Script Log Message	[ERROR] NODRIVER: Unable to pull WIFI. there is no driver
+0.731s	Script Log Message	[ERROR] NODRIVER: Unable to pull PF. there is no driver
+0.752s	Script Log Message	[INFO] pushing :: ManagementServer
+0.765s	Call to Device	GetParameterValuesRequest
+0.777s	SOAP XML	509 bytes sent to device
		<pre> <soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:soap-enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:cwmp="urn:dslforum-org:cwmp-1-0" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soap:Body> <cwmp:GetParameterValues> <ParameterNames soap-enc:arrayType="xsd:string[1]"> <string xsi:type="xsd:string">InternetGatewayDevice.ManagementServer.URL</string> </ParameterNames> </cwmp:GetParameterValues> </soap:Body> </soap:Envelope> </pre>
+0.912s	SOAP XML	627 bytes received from device
		<pre> <?xml version="1.0" encoding="UTF-8"?> <cwmp:GetParameterValuesResponse xmlns:cwmp="urn:dslforum-org:cwmp-1-2" xmlns:soap-enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:soap-enc="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org /2001/XMLSchema-instance"> <ParameterList soap-enc:arrayType="cwmp:ParameterValueStruct[1]"> <ParameterValueStruct> <Name>InternetGatewayDevice.ManagementServer.URL</Name> <Value xsi:type="xsd:string">http://test52.acs.smartrg.com/v1</Value> </ParameterValueStruct> </ParameterList> </cwmp:GetParameterValuesResponse> </pre>
+0.923s	Response from Device	GetParameterValuesResponse
+0.929s	Call to Device	SetParameterValuesRequest
+0.932s	SOAP XML	1358 bytes sent to device
		<pre> <soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:soap-enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:cwmp="urn:dslforum-org:cwmp-1-0" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soap:Header> <cwmp:ID soap:mustUnderstand="1"></cwmp:ID> </soap:Header> <soap:Body> <cwmp:SetParameterValues> <ParameterList soap-enc:arrayType="cwmp:ParameterValueStruct[4]"> <ParameterValueStruct> <Name xsi:type="xsd:string">InternetGatewayDevice.ManagementServer.ConnectionRequestPassword</Name> <Value xsi:type="xsd:string">OneAcsToRuleThemAll</Value> </ParameterValueStruct> <ParameterValueStruct> <Name xsi:type="xsd:string">InternetGatewayDevice.ManagementServer.PeriodicInformInterval</Name> </pre>

Time	Type	Event Detail
		<pre> <Value xsi:type="xsd:unsignedInt">90</Value> </ParameterValueStruct> <ParameterValueStruct> <Name xsi:type="xsd:string">InternetGatewayDevice.ManagementServer.ConnectionRequestUsername</Name> <Value xsi:type="xsd:string">admin00904C0FF4B3</Value> </ParameterValueStruct> <ParameterValueStruct> <Name xsi:type="xsd:string">InternetGatewayDevice.ManagementServer.PeriodicInformEnable</Name> <Value xsi:type="xsd:boolean">>true</Value> </ParameterValueStruct> </ParameterList> <ParameterKey xsi:type="xsd:string">1AAABTDNRIn4S test52 3</ParameterKey> </cwwmp:SetParameterValues> </soap:Body> </soap:Envelope> </pre>
+1.233s	SOAP XML	383 bytes received from device
		<pre> <?xml version="1.0" encoding="UTF-8"?> <cwwmp:SetParameterValuesResponse xmlns:cwwmp="urn:dsforum-org:cwwmp-1-2" xmlns:soap_enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:soap_env="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org /2001/XMLSchema-instance"> <Status>1</Status> </cwwmp:SetParameterValuesResponse> </pre>
+1.237s	Response from Device	SetParameterValuesResponse
+1.260s	Script Log Message	[INFO] Finished pushing :: ManagementServer
+1.286s	Script Log Message	[INFO] pulling :: ManagementServerStatus
+1.295s	Call to Device	GetParameterValuesRequest
+1.299s	SOAP XML	799 bytes sent to device
		<pre> <soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:soap_enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:cwwmp="urn:dsforum-org:cwwmp-1-0" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <soap:Header> <cwwmp:ID soap:mustUnderstand="1"></cwwmp:ID> </soap:Header> <soap:Body> <cwwmp:GetParameterValues> <ParameterNames soap_enc:arrayType="xsd:string[3]"> <string xsi:type="xsd:string">InternetGatewayDevice.ManagementServer.ConnectionRequestURL</string> <string xsi:type="xsd:string">InternetGatewayDevice.ManagementServer.ConnectionRequestUsername</string> <string xsi:type="xsd:string">InternetGatewayDevice.ManagementServer.PeriodicInformInterval</string> </ParameterNames> </cwwmp:GetParameterValues> </soap:Body> </soap:Envelope> </pre>
+1.634s	SOAP XML	988 bytes received from device
		<pre> <?xml version="1.0" encoding="UTF-8"?> <cwwmp:GetParameterValuesResponse xmlns:cwwmp="urn:dsforum-org:cwwmp-1-2" xmlns:soap_enc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:soap_env="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org /2001/XMLSchema-instance"> <ParameterList soap_enc:arrayType="cwwmp:ParameterValueStruct[3]"> <ParameterValueStruct> <Name>InternetGatewayDevice.ManagementServer.ConnectionRequestURL</Name> <Value xsi:type="xsd:string">http://192.168.1.111:7547/</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.ManagementServer.ConnectionRequestUsername</Name> <Value xsi:type="xsd:string">admin00904C0FF4B3</Value> </ParameterValueStruct> <ParameterValueStruct> <Name>InternetGatewayDevice.ManagementServer.PeriodicInformInterval</Name> <Value xsi:type="xsd:unsignedInt">90</Value> </ParameterValueStruct> </ParameterList> </cwwmp:GetParameterValuesResponse> </pre>
+1.646s	Response from Device	GetParameterValuesResponse
+1.671s	Script Log Message	[INFO] Finished pulling :: ManagementServerStatus

Time	Type	Event Detail
+1.675s	Script Completed	
+1.718s	Script Begin	Subscriber Association
+1.779s	Script Log Message	[INFO] pushAppCodes[PPP,SR,PF,CAPO,NTFY], pullAppCodes[]
+1.878s	Script Log Message	[ERROR] NODRIVER: Unable to push PF. there is no driver
+1.900s	Script Log Message	[ERROR] NODRIVER: Unable to push PPP. there is no driver
+1.927s	Script Log Message	[ERROR] NODRIVER: Unable to push NTFY. there is no driver
+1.957s	Script Log Message	[ERROR] NODRIVER: Unable to push SR. there is no driver
+1.979s	Script Log Message	[ERROR] NODRIVER: Unable to push CAPO. there is no driver
+1.979s	Script Completed	
+1.987s	Fire Event	INFORM
+2.089s	Script Begin	Synchronize Applications
+2.149s	Script Log Message	[INFO] pushAppCodes[], pullAppCodes[]
+2.178s	Script Log Message	[INFO] nothing to push/pull, exiting
+2.179s	Script Completed	